

Residential & Commercial **CONTAINERS**



Full service solutions for your collection needs.

Residential Containers

Edge



95



65



45



35



25

- Unique, contoured body is optimized for automated lifting equipment
- Contoured lid reduces warp and water entrapment
- Durable "double-pinned" lid attachment
- Visible foot rest for effortless tilting and comfortable handles with extra clearance
- Lift bar location placed as close to the front of cart as possible to improve lifter compatibility
- Wear strip at bottom of cart increases cart durability – bottom of cart never touches the ground

Millennium



95

- Cart footprint engineered for stability; resists tipping and does not blow over—even in 40 mph winds
- Short cart body is convenient to load, increases visibility over cart, and is easy to control
- Integrally molded details reinforce lift points and stress areas to accommodate heavy loads

Bib, Lift Bar & Nestable Options

Products are in compliance with A.N.S.I. standards. Not all bib, bar, and nestable options are available on all cart sizes and models.



Available with bib or no bib

Available with metal, plastic, or no lift bar option

35 gallon Edge has an optional external catch bar to increase material flow and to create a fully-sealed container solution

Lift bar placed in most frontal position for increased lifter compatibility

Exposed axle area increases end-user maneuverability, handling, and safety

25 & 45 gallon Edge available with nestable stacking

Patented gripper dots at the four gripping points increase surface area for better gripper adhesion

Wear strips at the bottom of the container provide additional protection against common dragging slamming behaviors

Cart Accessories & Wheels

Lid Options:

Recycling lid with circular opening. Slot lid for paper disposal. Security lock lid for document security. Not all options recommended for all containers.



Wheel Options:

10" wheels are standard on all carts; 45, 35, and 25 Edge with 8" wheels. Popular wheel options are shown here. Other options, including oversized 12" wheels, are available upon request.



Wheel options may change without notice.

Customize Your Cart

- Provide instructions to users with in-mold labeling
- Brand your cart with hot stamps on sides, front, or lid. ColorFUSE technology available on sides and lid
- Sequential serial numbers
- RFID tag or barcode
- Lid options include lid with circular opening, slot lid for paper disposal, and locking lid for added security



Collection With The 25 Gallon

Otto's 25 gallon Edge cart suits existing collection systems. Use fully-automated gripping arms or a semi-automated lifter using a proprietary adapter plate. Small size makes this container ideal for food waste streams.



Fully-Automated Side Load




Semi-Automated Rear Load With Adapter Plate



Available Colors

Otto residential containers are available in 8 standard colors. Custom colors available upon request.



Colors as shown in this document may differ slightly from the actual product.

Commercial Containers

Triumph



8 YARD FRONT LOAD ST



6 YARD FRONT LOAD ST



4 YARD FRONT LOAD



3 YARD FRONT LOAD



2 YARD REAR LOAD



1 YARD FRONT LOAD

- Weighs significantly less than same-size metal containers, improving worker safety
- Steel reinforcements strategically placed to support container, ensuring performance during heavy lifting
- Low maintenance—never needs painting, is easy to clean and is dent resistant
- Steel components have electrophoretic coating (electro-coating) to maximize container life in corrosive environments
- Fork pocket guides improve collection efficiency and reduce damage to container during emptying
- 100% recyclable

Steelite™



4 YARD FRONT LOAD



3 YARD FRONT LOAD



2 YARD FRONT LOAD



2 YARD REAR LOAD

- Plastic molded body is surrounded by a steel frame and base
- Steel frame around and under container body ensures stable lifting
- Body made of strong, durable molded plastic construction
- Weighs significantly less than same-size metal containers, improving worker safety
- Liquids inside never touch the steel, preventing rust and corrosion issues

Pioneer



2 YARD FRONT LOAD

- The original plastic container that has been in use for over 20 years
- Ideal for wet refuse
- Integrally molded details reinforce lift and stress points to accommodate heavy loads
- Weighs 1/3 less than same size metal containers
- Easy to maneuver over uneven surfaces
- Will not corrode in salt air or humid environments
- Dual hinged lids keep pests out, and odor and refuse in

European Style 4-Wheel



1 1/2 YARD



1 YARD



3/4 YARD

- Great for hallways, tight areas, and back-of-house aisles
- Works with selected fully automated side load and rear load collection systems
- Four swiveling casters with brakes
- Side handles for easy maneuvering

Customize Your Container

- Manual and Gravity lock options available on front load containers
- For additional customizations, contact your Area Manager



Color Options



Dark Blue - 68



Green - 56



For. Green - 65



Dark Gray - 50



Light Gray - 57



Brown - 63



Black - 60

Colors as shown in this document may differ slightly from the actual product. Not all color options are available on all containers. Lids are black for Triumph, Steelite, and Pioneer containers. European Style 4-Wheel container lids match base color. European Style 4-Wheel container is only available in light gray; Triumph, Steelite, and Pioneer containers are not available in Light Gray.

Wheel Features

- Reinforced caster mounting for increased strength and durability
- Quick release caster plate allows for fast caster replacement from outside of the container
- 4" caster plates prevent puncturing in container bottom and have single-bolt release
- Standard 6" casters on 1, 2, 3, & 4 yard containers
- Standard 8" casters on Euro-Style 4-Wheel Containers
- Roll brakes available



Quick change caster plates improve replacement efficiency. Steel support channels distribute heavy loads evenly across the container floor.



Residential Containers

Edge

MODEL	HEIGHT	WIDTH	DEPTH	LOAD RATING °	ASSEMBLY WEIGHT	STACKING	T/L QTY (53' TRUCK)	LTL STACKING	LTL MAX. QTY
95 GAL.	45 3/8"	27 1/2"	33 1/4"	335 LBS.	40 LBS.	8 HIGH	456	7 HIGH	63
65 GAL.	42 3/8"	25 1/8"	29 1/2"	230 LBS.	35 LBS.	9 HIGH	720	8 HIGH	72
45 GAL. (N)	39 1/5"	22 3/5"	27 2/5"	160 LBS.	23 LBS.	8 HIGH	672	8 HIGH	160
45 GAL. (U)	39 1/5"	22 3/5"	27 2/5"	160 LBS.	23 LBS.	10 HIGH	760	10 HIGH	N/A
35 GAL.	38"	19 4/5"	24 4/5"	122.5 LBS.	19.25 LBS.	10 HIGH	940	9 HIGH	N/A
25 GAL. (N)	28 4/5"	19 4/5"	24 4/5"	88 LBS.	17 LBS.	9 HIGH	954	9 HIGH	N/A
25 GAL. (U)	28 4/5"	19 4/5"	24 4/5"	88 LBS.	17 LBS.	12 HIGH	1,272	12 HIGH	N/A

Millennium

MODEL	HEIGHT	WIDTH	DEPTH	LOAD RATING °	ASSEMBLY WEIGHT	STACKING	T/L QTY (53' TRUCK)	LTL STACKING	LTL MAX. QTY
95 GAL.	41 1/4"	29 3/8"	33 7/8"	340 LBS.	40 LBS.	9-10 HIGH	504-560	8 HIGH	96

Cart specifications vary slightly based on product mold. °A.N.S.I. maximum load rating is 3.5 lbs. per gallon. Shipping information varies slightly based on product mold and mold location. (N) represents fully-assembled, nested containers. (U) represents unassembled, stacked containers.

Commercial Containers

Triumph

MODEL	LOAD HEIGHT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
8 YARD FL ST TRI	50"	82"	81"	86"	5000 LBS.	552 LBS.	2 HIGH	1	7
6 YARD FL ST TRI	50"	68"	81"	81 1/8"	3500 LBS.	530 LBS.	2° HIGH	1	16
4 YARD FL TRI	55 3/4"	71 1/2"	81"	58 1/2"	2500 LBS.	403 LBS.	2 HIGH	2	20°
3 YARD FL TRI	53 1/4"	62"	81"	55"	1500 LBS.	373 LBS.	3 HIGH	4	33°
2 YARD RL TRI	48 3/4"	50"	78"	49 3/4"	1400 LBS.	300 LBS.	5 HIGH	6	85
1 YARD FL TRI	40 3/4"	42 1/8"	81"	32"	700 LBS.	217 LBS.	5 HIGH	9	115°

Steelite

MODEL	LOAD HEIGHT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
4 YARD FL STL	57 1/2"	72 1/2"	80 1/2"	56 1/2"	3200 LBS.	581 LBS.	2 HIGH	3	20
3 YARD FL STL	54 1/2"	62 1/2"	80 1/2"	54 1/2"	2400 LBS.	472 LBS.	2 HIGH	6	20
2 YARD FL STL	51 1/2"	52"	83 1/2"	42 1/2"	1600 LBS.	320 LBS.	3 HIGH	6	45
2 YARD RL STL	50 1/2"	50 1/2"	78"	50"	1600 LBS.	367 LBS.	4 HIGH	8	30

Pioneer

MODEL	LOAD HEIGHT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
2 YARD FL PIO	50"	51 1/4"	83 1/2"	42 1/2"	1400 LBS.	255 LBS.	3 HIGH	6	42

European-Style 4-Wheel

MODEL	GALLON EQUIVALENT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
1100 LITER EURO	291 GAL	53 3/4"	49"	42"	970 LBS.	175 LBS.	5 HIGH	4	90
770 LITER EURO	204 GAL	53 3/4"	49"	30 1/2"	675 LBS.	125 LBS.	5 HIGH	4	170
660 LITER EURO	175 GAL	47 3/4"	49"	30 1/2"	580 LBS.	100 LBS.	6 HIGH	4	200

Container specifications vary slightly based on product mold and are subject to change. Height includes casters where applicable. Width includes pockets. Shipping information is estimated and varies slightly based on product mold and mold location. *For maximum shipping capacity, some assembly is required.

Residential & Commercial **CONTAINERS**



Full service solutions for your collection needs.

OTTO/051118

Otto Environmental Systems North America, Inc.

12700 General Drive, Charlotte, North Carolina 28273

800-227-5885 • info@otto-usa.com • otto-usa.com

© Otto Environmental Systems North America, Inc.

