



Sentinel



Sentinel

Aesthetically Pleasing Receptacle Designed For Public Venues

- Lid configurations for indoor and outdoor use with openings for waste and recycling
- Customizable with precision laser-cutting technology and panel colors to complement facility, program, or logo
- ADA compliant, made in USA
- 36 gallon removable plastic liner included; also available with 45 gallon bag rack
- Side door features strong, durable hinge made of 304 grade stainless steel that will not rust



Lid Configurations

- Outdoor lids have solid tops with openings on sides
- Indoor lids have opening on top
- Available with general waste or beverage recycling openings; custom cut-outs also available for various recycling streams such as paper and e-waste



Indoor lid inward sloping



Outdoor lid for beverage recycling



Outdoor lid with optional ashtray



Indoor lid outward sloping

Lids pictured reflect a sampling of available offerings.

Panel Finishes & Features


- Stainless steel panels are high quality 304 grade that will not rust
- Stainless steel panels are powder coated with clear coat for scratch and scuff protection
- Advertising panels made of weather-proof sintra or styrene
- Receptacles can be two-tone by differing frame and panel colors
- Panel customizations include:
 - Precision laser-cut logo or message
 - Premium 3M™ vinyl decals to convey type of waste or recycling material
 - Advertising graphics made of Sintra, Styrene, or similar material†



Advertising graphic



Powder coated steel vinyl decals




1/4" perf



All stainless steel panels are 20 gauge thickness. †Advertising panels do not come with container frame. Panel design and sourcing is customer's responsibility at a graphics vendor of their choice. All panels are 16"h x 30"w, and should be printed on 1/16" thick Sintra, Styrene, or similar material. Optimal image resolution for this size is at least 300 dpi (dots per inch).

Customize Your Receptacle

- Custom powder coat colors available for panels, frame and lid
- Outdoor lids with smokers box
- Cold galvanizing spray treatment for extremely salty or humid environments
- 45 gallon bag ring



Hidden Smokers Box for cigarette butts



Optional bag ring with 45 gallon capacity

Removable Liner



The standard 36 gallon liner easily slides out from the receptacle's base, facilitating collection.

Combinations Units

Combination trash and recycling receptacles are offered in varying styles that fulfill the need for multiple waste streams*.

- Combination unit is one-piece construction
- Supplied with two 36 gallon liners
- Side opening doors help to prevent back injuries
- Multiple waste stream capability saves money on purchasing multiple units

*Upon request, containers can be configured to double trash or double recycling units.



Homeland Security

- Compliant with the Department of Homeland Security directive for clear plastic containers
- Clear panels are made of Bayer Science® brand Makrolon® polycarbonate
- UV resistant and non-yellowing
- Available in thicknesses of:
 - 0.236"
 - 0.093"
- 45 gallon bag ring standard on clear-paneled plastic receptacles
- With a 94 UL rating, Makrolon® polycarbonate has a very high melting point providing additional content security in case of fire



Sentinel



45 Gallon Indoor
Outward Sloping
General Waste



45 Gallon Indoor
Inward Sloping
General Waste



45 Gallon Outdoor
General Waste



90 Gallon Outdoor Combination
General Waste & Beverage

Container Specifications & Shipping Information

MODEL	ASSEMBLY WEIGHT INDOOR	ASSEMBLY WEIGHT OUTDOOR	T/L QTY (53' TRUCK)	LTL STACKING AND LTL MAX. QTY	TOTAL HEIGHT INDOOR	TOTAL HEIGHT OUTDOOR	TOTAL WIDTH	TOTAL DEPTH
OSS45 SS*	80 LBS.	85 LBS.	132	VARIABLES	38"°	45"	20 1/8"	20 1/8"
OSS45 PERF SS	85 LBS.	90 LBS.	132	VARIABLES	38"°	45"	20 1/8"	20 1/8"
OSS45 PC*	80 LBS.	85 LBS.	132	VARIABLES	38"°	45"	20 1/8"	20 1/8"
OSS45 0.236" CLEAR	85 LBS.	90 LBS.	132	VARIABLES	38"°	45"	20 1/8"	20 1/8"
OSS45 0.093" CLEAR	80 LBS.	85 LBS.	132	VARIABLES	38"°	45"	20 1/8"	20 1/8"
OSS45 AC†	80 LBS.	85 LBS.	132	VARIABLES	38"°	45"	20 1/8"	20 1/8"
HS245OWR SS*	N/A	232 LBS.	104	VARIABLES	N/A	45"	40 1/4"	20 1/8"
HS245OWR PERF SS	N/A	232 LBS.	104	VARIABLES	N/A	45"	40 1/4"	20 1/8"
HS245OWR PC*	N/A	232 LBS.	104	VARIABLES	N/A	45"	40 1/4"	20 1/8"
HS245OWR AC†	N/A	232 LBS.	104	VARIABLES	N/A	45"	40 1/4"	20 1/8"


Containers come fully assembled† and palletized. Container specifications provided are for a freight van. *For laser-cut designs add 17 lbs. for additional inner panels. °Measurement for outward sloping receptacle; subtract 1" for inward sloping receptacle. †Advertising configuration is shipped without panels. Measurements reflect maximum dimensions.

Available Colors

The Sentinel container is available in 6 standard colors. Custom colors available.



Fir Green



Textured Black



Olive Green



Sky Blue



Brown Texture



Brown Glossy

Colors as shown in this document may differ slightly from the actual product.

Otto Environmental Systems North America, Inc.

12700 General Drive, Charlotte, North Carolina 28273
800-795-OTTO (6886) • info@otto-usa.com • otto-usa.com

© Otto Environmental Systems North America, Inc.



Full Service Solutions

